


REVISIONS				
REV	ECR	DESCRIPTION	DRAWN	DATE
1		ENGINEERING RELEASE	M. LARSEN	10/09/2025



ITEM	PART NUMBER	DESCRIPTION	QTY
1	1.37 MICRO COAX	CABLE, 1.37 MICRO COAX, BLACK	AR
2	IPXLF11GBP-137	IPX (MHF1), RHT ANGLE, JACK, CABLE CRIMP	1
3	SASF13RGT-316	SMA, STRAIGHT, JACK, BLKHD MNT, CRIMP	1
4	1635F-1/8	HEAT SHRINK, 1/8 DIA, 16mm LENGTH, BLACK	1

DO NOT SCALE DRAWING  
TOLERANCES UNLESS OTHERWISE SPECIFIED  
DIMENSIONS ARE IN MILLIMETERS  
X = ±0.5  
X.X = ±0.25  
X.XX = ±0.13  
ANGLE = ±30'

CUSTOMER APPROVAL

SIGN / DATE:

ENG APPR.

CHECKED

DRAWN M. LARSEN 10/09/2025

NAME DATE

**Lighthouse Technologies**  
San Diego, CA  
WWW.RFCONNECTOR.COM

TITLE: CABLE ASSEMBLY, IPX, R/A JACK TO SMA, STRAIGHT, JACK, BLKHD MNT, CRIMP USING 1.37 MICRO COAX, BLACK HEAT SHRINK

SIZE B PART/DWG. NO: CB1.37-IPX-SAF3GT-100MM-BH REV 1

SCALE: 4:1 FILE NAME SHEET 1 OF 1

PROPRIETARY AND CONFIDENTIAL  
UNLESS OTHERWISE SPECIFIED: THIS DOCUMENT CONTAINS LIGHTHORSE TECHNOLOGIES INFORMATION. REPRODUCTION, USE, DISCLOSURE OR TRANSMITTAL OF ALL OR ANY PART OF THIS DOCUMENT IS PROHIBITED EXCEPT TO THE EXTENT APPROVED IN WRITING BY AN AUTHORIZED REPRESENTATIVE OF LIGHTHORSE TECHNOLOGIES. LIGHTHORSE TECHNOLOGIES RESERVES ALL RIGHTS UNDER PATENTS, TRADEMARKS, COPYRIGHTS AND TRADE SECRETS. COPY RIGHTS OF LIGHTHORSE TECHNOLOGIES 2011, ALL RIGHTS RESERVED.

