



APPROVAL	SIGNATURE	TITLE	DATE												
	<p><b>Tolerances</b></p> <p>1-20=+/-0.2  20-30=+/-0.3  30-40=+/-0.4  40-50=+/-0.5  50-100=+/-0.75  100-300=+/-1.5  Angles=+/-1</p> <p><b>Dimensions are in Millimeters</b></p>														
<p><b>Revisions</b></p> <table border="1"> <thead> <tr> <th>Description/Approved/Date</th> <th>Approved</th> <th>Date</th> </tr> </thead> <tbody> <tr> <td>1. Double D-flats added to rear shoulder / E.K./03-10-04</td> <td>M.H.</td> <td>12/02/03</td> </tr> <tr> <td>2. Barrel length changed from 26mm to 30mm / E.K./03-23-04</td> <td>M.H.</td> <td>12/02/03</td> </tr> <tr> <td></td> <td>K.R.E.</td> <td>12/02/03</td> </tr> </tbody> </table>		Description/Approved/Date	Approved	Date	1. Double D-flats added to rear shoulder / E.K./03-10-04	M.H.	12/02/03	2. Barrel length changed from 26mm to 30mm / E.K./03-23-04	M.H.	12/02/03		K.R.E.	12/02/03	<p><b>NOTES</b> (plating thickness in micro-inches):</p> <p>5. Per Mill-P-19468  6. Per ZZ-R-765  7. Per WW-T-799  8. Gold pl. 5 min. over nickel pl. 50 min. over copper scribe  9. Nickel pl. 100 min. over copper scribe  10. Per QQ-P-35  11. Gold pl. 30 min. over nickel pl. 50 min. over copper scribe</p>	
Description/Approved/Date	Approved	Date													
1. Double D-flats added to rear shoulder / E.K./03-10-04	M.H.	12/02/03													
2. Barrel length changed from 26mm to 30mm / E.K./03-23-04	M.H.	12/02/03													
	K.R.E.	12/02/03													
<p>4. Per QQ-B-750</p>															



ITEM	MATERIAL	FINISH
Connector Body	Brass, Note 1	Nickel, Note 9
Center Contact: Male	Beryllium Copper, Note 3	Silver, Per QQ-S-365
Insulation	Teflon, Note 5	None
Ferrule	--	--
Gasket	--	--
Hex Nut	--	--
Lock Washer	--	--

**LTI** Lighthorse Technologies, Inc.  
5640 Kearny Mesa Road, Suite N  
San Diego, California 92111  
Part Number: **LTI-FSF55NT-P**

Description: Precision F end launch PCB jack. Nickel plated brass body.  
Teflon dielectric.  
Scale: 2:1  
Dwg/Rev No.:  
Revision 3  
File Name: FSF55NT-P